US ISSN 0046 225X

ENVIRONMENTAL ENTOMOLOGY



Volume 21, 1992
1–1488

Environmental Entomology

Volume 21

WILLIAM P. KEMP
Editor
RONALD E. STINNER
Editor
RICHARD S. ZACK
Book Review Editor

RAYMOND L. EVERNGAM, JR.
Managing Editor
RICHARD H. FOOTE
MELISSA McDANIEL
Copy Editors

ROB HEADRICK
VIVIANA VILLAFANE
JENNIFER YEARWOOD
Production Editors
CAROLYN DESIMON
Administrative Assistant

Editorial Board

T. O. HOLTZER *Chair*
Fort Collins, CO
Section C (1992)
H. R. BURKE
College Station, TX
Section A (1992)

C. J. JONES
Urbana, IL
Section D (1993)
C. LOUDON
Manhattan, KS
Section B (1994)

R. L. BRANDENBURG
Raleigh, NC
Section E (1995)

Published by the
Entomological Society of America

F. T. TURPIN
West Lafayette, ID
President
L. R. NAULT
Worcester, OH
Past President
F. W. KNAPP
Lexington, KY
President-Elect
J. H. SHADDY
Kirksville, MO
Secretary-Treasurer

M. B. STOETZEL
Beltsville, MD
Eastern Branch
K. L. STEFFEY
Champaign, IL
North Central Branch
R. E. BERRY
Corvallis, OR
Pacific Branch
B. R. WISEMAN
Tifton, GA
Southeastern Branch

T. W. FUCHS
San Angelo, TX
Southwestern Branch
B. J. HARRINGTON
Madison, WI
Section A
H. OBERLANDER
Gainesville, FL
Section B
M. E. IRWIN
Champaign, IL
Section C

J. D. EDMAN
Amherst, MA
Section D
D. D. KOPP
Fargo, ND
Section E
G. L. TEETES
College Station, TX
Section F
W. D. HANSEN
Lanham, MD
Executive Director

© 1992, Entomological Society of America

Environmental Entomology (ISSN 0046-225X) is published bimonthly (February, April, June, August, October, and December) by the Entomological Society of America, 9301 Annapolis Road, Lanham, MD 20706. The journal is printed by Allen Press, 1041 New Hampshire Street, P.O. Box 368, Lawrence, KS 66044. Second class postage is paid at Lanham, MD, and at additional mailing offices.

Postmaster: Send change of address forms to *Environmental Entomology*, ESA, 9301 Annapolis Road, Lanham, MD 20706.

Inquiries regarding content, subscriptions, advertising, availability of back issues, change of address, and general business matters, and manuscripts and other copy should be sent to the managing editor, ESA, 9301 Annapolis Road, Lanham, MD 20706. For information about the preparation of manuscripts, authors are urged to consult "Information for Contributors," which is printed on the inside back cover of most issues, or to send for *Publications Policies and Guide for Authors*, which is available free of charge from ESA.

Articles report the results of research only. Mention of a pesticide or a commercial or proprietary product does not constitute endorsement or recommendation for its use. Authors are entirely responsible for statements made, whether of fact or opinion. Registered names and trademarks, etc., used in this publication, even without specific indication thereof, are not to be considered unprotected by law.

Photocopies. Permission to photocopy journal articles for internal or personal use is granted by the Entomological Society of America provided that a fee is paid directly to the Copyright Clearance Center, 21 Congress Street, Salem, MA 01970. Individuals may make a single copy for personal use without charge. This consent does not extend to other kinds of copying, such as that for general distribution, for advertising or promotional purposes, for creating new collective works, or for resale. The fee code for users of the Transaction Reporting Service is 0046-225X/89/$2.00.

Subscriptions. 1992 prices: members, $25; nonmember individuals, $75; institutions, $150. To the above add $20 for shipping outside the continental U.S. Send payment to EE Subscriptions, ESA, P.O. Box 177, Hyattsville, MD 20781. Inquiries should be directed to ESA Sales, 9301 Annapolis Road, Lanham, MD 20706; (301) 731-4535.

Back Issues

	ESA member domestic	ESA member foreign	Non-member domestic	Non-member foreign
Single issue	$10.40	$11.40	$ 34.00	$ 35.00
Volume	62.40	68.40	204.00	210.00

All prices include handling and shipping by surface mail. For a list of available issues, write to ESA Sales, 9301 Annapolis Road, Lanham, MD 20706. Back volumes are available in microform from University Microfilms International, 300 North Zeeb Road, Ann Arbor, MI 48106.

A
Achtemeier, G. L., 921
Addison, D. S., 737
Albajes, R., 269
Alexander, S. A., 1077
Ali, A., 780
All, J. N., 264
Allen, W. R., 50
Anderson, M. D., 604
Anderson, N. L., 1294
Andow, D. A., 388
Andreadis, T. G., 901
Araya, J. E., 376
Asquith, A., 1022

B
Baker, J. E., 646
Baker, T. C., 1143
Barbercheck, M. E., 1466
Bardoloi, S., 1398
Barfield, C. S., 1013
Barratt, B.I.P., 103
Bartelt, R. J., 156, 1143
Basimike, M., 1114
Bellows, Jr., T. S., 359, 651, 659
Beregovoy, V. H., 493
Beshear, R. J., 121
Biever, K. D., 1212
Bingaman, B. R., 508
Blua, M. J., 578
Boerma, H. R., 264
Boggs, K. W., 1052
Bomar, C. R., 1301
Bonham, C. D., 94
Bottenberg, H., 542
Bourassa, J.-P., 89
Bourchier, R. S., 907
Bradley, Jr., J. R., 287
Bradley-Dunlop, D., 20, 896
Bratti, A., 1196, 1198
Breen, J. P., 68
Brewer, G. J., 493
Bridges, J. R., 1377
Brown, M. W., 485
Brust, G. E., 1466
Bugg, R. L., 1371
Byers, R. A., 103

C
Capinera, J. L., 94
Caprio, M. A., 808
Cardé, R. T., 760
Carolina,1097
Carpenter, J. E., 57
Carr, Jr., W. C., 112
Carter, M. R., 1308
Castañé C., 269
Cate, J. R., 117, 620
Chalfant, R. B., 957, 969
Chamberlin, J. R., 121
Chandler, D. S., 1283
Charlet, L. D., 493
Chauvin, R. L., 1212
Cherry, R. H., 767
Cho, H. W., 549
Clancy, K. M., 331
Cohen, A. C., 20, 896
Cokendolpher, J. C., 964
Colwell, A. E., 1294
Connor, E. F., 307
Cowles, R. S., 453
Cox, G. W., 281
Croft, B. A., 202, 1168
Culbreath, A. K., 121
Cusker, J. L., 1121

D
Dahlman, D. L., 1046
Danielson, S. D., 501
Darnell, P. O., 1160
Datz, S. G., 350
DeGrandi-Hoffman, G., 366
Dean, D. A., 1178, 1457
Delisle, J., 1007
Demski, J. W., 121
Dennis, B., 1229
Derrick, M. E., 242
Dowd, P. F., 1143
Drost, Y. C., 760
Drummond, F. A., 107
Drury, C. F., 817
Dueben, B., 854
Duncan, R., 996
Dunkel, F. V., 1121
Dutcher, J. D., 632

E
Eckel, C. S., 287
Ehler, L. E., 26
Eichenseer, H., 1046
Eisenberg, R. M., 350
Ekbom, B., 1110
Elkinton, J. S., 394, 1035
Ellis, B. A., 281
Enriquez, F. J., 20, 896
Espelie, K. E., 214, 888

F
Fagan, W. F., 350
Fan, Y., 107
Fanti, P., 1196, 1198
Fell, R. D., 148
Felton, G. W., 1220
Feng, M.-G., 1029, 1433
Ferguson, C. S., 247
Fincher, G. T., 871
Fitt, G. P., 1393
Flinn, P. W., 1351
Forschler, B. T., 1220
Foster, J. E., 376
Fowler, A., 1239

G
Garcia, C., 210, 913
Garcia, R., 1294
Garcia-Salazar, C., 81
Gaylor, M. J., 780
Geden, C. J., 1419
George, T. L., 1239
Gerling, D., 556, 659
Giebultowicz, J. M., 822
Godfrey, L. D., 1059, 1060
Gold, H. J., 253
Good, W. R., 1052
Gould, F., 586
Gould, J. R., 394, 1035
Grafton-Cardwell, E. E., 1371
Greenberg, B., 640
Grigarick, A. A., 731
Grover, Jr., P. B., 845

H
Haas, M. J., 409
Habeck, D. H., 714
Hagler, J. R., 20, 896
Hagstrum, D. W., 1351
Hahn, S. P., 837
Hain, F. P., 1103
Hajek, A. E., 129, 706
Halbert, S. E., 1433
Haldemann, R. L., 793
Hall, D. J., 771
Hall, M. R., 957, 969
Hara, A. H., 1441
Hart, E. R., 508
Haukioja, E., 1386
Hayes, J. L., 1377
Hazarika, L. K., 1398
Heath, R. R., 854, 1154
Hébert, C., 89
Hendrix, III, W. H., 1092
Hennessey, M. K., 714
Herr, J. C., 1097
Hesler, L. S., 731
Higbee, B. S., 1319
Higgins, C. J., 322
Higley, L. G., 501
Hoffman, S. A., 1345
Hogg, D. B., 1248
Hollingsworth, R. G., 1103
Holtzer, T. O., 1059, 1060
Horowitz, A. R., 556
Horton, D. R., 1319
Hough-Goldstein, J., 837
Hoy, J. B., 745
Hunt, D.W.A., 817
Hurd, L. E., 350

I
Ignoffo, C. M., 210, 913
Irving, J., 866
Irwin, M. E., 542
Isenhour, D. J., 214, 888

J
Jang, E. B., 1189
Jobin, L., 89
Johnson, C. D., 610
Johnson, D. L., 939

Johnson, J. B., 1433
Johnson, M. T., 586
Johnson, M. W., 1097, 1441
Jones, R. L., 1448
Jones, C. G., 276
Jones, C. J., 141, 832

K
Kaakeh, W., 632
Katovich, S., 771
Kaya, H. K., 183
Kearby, W., 771
Keller, J. E., 560
Kemp, W. P., 461
Kennedy, G. G., 242
Knudsen, G. R., 1271
Kok, L. T., 527
Kolarov, J., 700
Koricheva, J., 1386
Kosaraju, R. S., 1202
Krause, G., 247
Kulhavy, D. L., 534
Kulman, H. M., 401
Kumar, R., 1114

L
Lamb, R. J., 10
Landis, D. A., 409
Landolt, P. J., 382, 854, 1154
Larsen, K. J., 566
Laub, C. A., 41
Lebeck, L. M., 1441
Lenczewski, B., 854
Leonard, J. G., 447, 1273
Lewis, L. C., 178
Lewis, V. R., 975
Liebhold, A. M., 221, 354
Lin, H., 156
Lindqvist, L., 160
Linit, M. J., 247
Lister, R. M., 376
Lockwood, J. A., 1301
Loera, J., 1393
Lopez, Jr., J. D., 1404
Luna, J. M., 41
Lyons, D. B., 354
Lysyk, T. J., 1134

M
MacRae, I. V., 202, 1168
Mackay, W. P., 866
Maier, C. T., 164
Majdi, S., 866
Makela, M., 436
Mangan, R. L., 294
Margolies, D. C., 1072
Mariën, J., 860
Marti, Jr., O. G., 371, 417
Martin, J. H., 366
Mason, R. R., 74
Matis, J. H., 436
Maw, H.E.L., 817
Mayse, M. A., 112
McAvoy, T. J., 527
McCaffrey, J. P., 983
McCauley, Jr., G. W., 1072
McEwen, L. C., 1239
McManus, M. L., 1308
McNally, L. C., 1362
Meeker, J. R., 534
Meola, R. W., 1404
Messer, C., 866
Messing, R. H., 1022, 1189
Mesterházy, Á., 700
Miller, J. C., 197, 1139
Miller, J. R., 453, 560
Miller, R. W., 1419
Mills, J. N., 281
Mills, N. J., 230
Milne, D. E., 141
Milo, J. A., 141
Mocelin, G., 845
Moore, K.E.B., 276
Morales-Ramos, J. A., 620
Moreno, D. S., 294
Moya-Raygoza, G., 566
Mueller, A. J., 345
Muir, W. E., 1351
Munholland, P. L., 1229
Munyinyi, D., 1114
Mutinga, M. J., 1114
Myers, J. H., 322

N
Nafus, D. M., 664
Nault, B. A., 264
Nault, L. R., 566
Neal, Jr., J. W., 793, 1414
Nealis, V. G., 907
Nettles, Jr., W. C., 1196, 1198
Nevill, R. J., 1077
Nigg, H. N., 714
Niwa, C. G., 1410
Nomura, A. K., 1294
Norman, J. M., 1059, 1060
Nowierski, R. M., 1029
Nuessly, G. S., 767
Nyffeler, M., 1178, 1457

O
O'Dowd, D. J., 478
O'Neil, R. J., 1, 191
O'Neill, K. M., 1333
Odell, T. M., 173
Oudejans, R., C.H.M., 860
Ouyang, Y., 1371

P
Paine, T. D., 659
Pair, S. D., 1393
Palmer, J. O., 117
Papp, M., 700
Park, S. J., 1357
Parker, B. L., 447, 1253, 1258
Pats, P., 1110
Patterson, R. P., 1002
Patterson, R. S., 141
Paustian, J. W., 1139
Peck, S. B., 1283
Pena, J. E., 996
Peng, C., 604
Pereira, R. M., 1427
Perfecto, I., 61
Perring, T. M., 578
Peterson, R.K.D., 501
Peterson, S. S., 1248
Petit, F. L., 136
Phelan, P. L., 156
Phillips, Jr., S. A., 964
Pitcairn, M. J., 441
Pittendrigh, B. R., 1267
Powell, D. A., 359, 651
Pullen, S. R., 1404
Purcell, M., 1441
Puyvelde, L. C., 1121

Q
Quiring, D. T., 1357
Quiroz, C., 376

R
Raffa, K. F., 771
Rahardja, U., 81
Raina, A. K., 822
Raulston, J. R., 1393
Raupp, M. J., 173, 827
Ravlin, F. W., 1308
Redak, R. A., 94
Reed, H. C., 1154
Reese, J. C., 1072
Rejmanek, M., 598
Rejmankova, E., 598
Rice, R. E., 441
Ridgway, R. L., 722, 822
Riggin, T. M., 214, 888
Riley, D. G., 1013
Ritchie, S. A., 737
Roberts, D. R., 598
Roberts, D. W., 706
Rodriguez, M. H., 598
Rogers, C. E., 417, 1393
Rojas, M. G., 518
Roltsch, W. J., 112
Rubink, W. L., 436
Rutz, D. A., 1419
Ryoo, M. I., 549

S
Sadoff, C. S., 173, 827
Sajap, A. S., 178
Sample, B. E., 628
Sanchez, M., 294
Sanderson, J. P., 799
Sappington, T. W., 677
Savage, H. M., 598
Schaalje, G. B., 939
Schaupp, Jr., W. C., 401
Schmidt, J. O., 1130

Schneider, S. S., 1362
Schoenig, S. E., 471
Schotzko, D. J., 983, 1271
Schreiber, E. T., 141
Schreiner, I. H., 664
Schroeder, P. C., 1002
Schuster, D. J., 1013, 1341
Seal, D. R., 957, 969
Sears, M. K., 787
Sediles, A., 61
Shaw, P. W., 949
Shea, P. J., 745
Sher, R. B., 301
Shields, E. J., 301
Shorey, H. H., 1143
Showers, W. B., 677, 1092
Shukle, R. H., 376, 845
Siemens, D. H., 610
Simmons, A. M., 371
Sivinski, J., 382
Skinner, M., 1258
Smerage, G. H., 1341
Smith, A. M., 314
Smith, Jr., J. W., 1160
Smith, L., 877
Snyder, W. E., 350
Soper, R. S., 129
Sorenson, C. E., 242
Sower, L. L., 1410
Sparks, A. N., 1393
Spivak, M., 366
Spurgeon, D. W., 345
Stein, K. J., 148
Steinkraus, D. C., 1419
Sterling, W. L., 1178, 1457
Stimac, J. L., 1341, 1427
Stinner, R. E., 253
Stipanovic, R. D., 518
Story, J. M., 1052
Suckling, D. M., 949
Sudayappa, K., 1351

T
Tabashnik, B. E., 808
Tauber, C. A., 1414
Tauber, M. J., 1414
Taverner, M. P., 307
Terry, L. I., 287
Thoenes, S. C., 1130
Thoeny, W. T., 1377
Thorpe, K. W., 722
Thorvilson, H. G., 964
Tiarks, A. E., 1377
Tilmon, K. J., 350
Timmins, P. R., 1357
Tobi, D. R., 447
Todd, J. W., 121
Tomlin, E. S., 787
Torchio, P. F., 1086
Trimble, R. M., 50

U
Udayagiri, S., 1448
Unruh, T. R., 1319

V
Valovage, W. D., 1202
Van Buren, N.W.M., 860
Van Der Vaart, H. R., 939
Van Driesche, R. G., 394, 1035
Van Duyn, J. W., 242, 287, 1002
Vandersall, K. S., 350
Velasco, L.R.I., 751
Velthuis, H.H.W., 860
Vetter, R. S., 1143
Vickers, P. M., 50
Vinson, S. B., 518, 866
Voigt, W. G., 1294

W
Wallner, W. E., 447
Walter, D. E., 478
Walter, G. H., 751
Weaver, D. K., 1121
Webb, R. E., 822
Wedberg, J. L., 1248
Weiss, M. J., 604
Welch, J. D., 350
Welker, W. V., 485
Wells, J. D., 640
Werren, J. H., 173
Weseloh, R. M., 901
Westbrook, J. K., 1393
Westigard, P. H., 1319
Weston, P. A., 560 1345
Whalon, M. E., 81
Wiedenmann, R. N., 1, 1160
Wietlisbach, D. O., 136
Wilkerson, G. G., 253
Williams, H. J., 518
Williams, III, L., 983
Wilson, L. T., 471
Wipfli, M. S., 1248
Wiseman, B. R., 57, 888
Wolf, W. W., 1393
Woodring, J. L., 183
Woodward, D. L., 1294
Worner, S. P., 689

Y
Yan, Y. T,81
Young, S. Y., 1220
Yu, Y., 253

Z
Zacharuk, R. Y., 1267
Zalom, F. G., 441
Zeltzer, A., 366
Zhang, Z.-Q., 799
Zoebisch, T. G., 1341



A
abundance, host plants, 751
Nezara viridula, 751
Acremonium, aphids, 1046
host-plant resistance, 1046
Acrididae, community ecology, 461
Entomophaga, 1202
Entomophthorales, 1202
patch dynamics, 461
Adelges piceae, Fraser fir, 1103
Homoptera, 1103
mosquito control, 1285
xanthan gum, 1285
Aedes taeniorhynchus, oviposition, 737
sampling, 737
aggregation pheromone, *Carpophilus lugubris*, 156
host odor attractants, 156
agroecosystem dynamics, diversity, 485
Malus domestica, 485
Agromyzidae, intraspecific competition, 136
vegetable leaf miner, 136
Agrotis ipsilon, migration, 1092
migration oogenesis–flight syndrome, 677
Pseudaletia unipuncta, 1092
alfalfa, nabid, 191
predation, 191
amylase inhibitors, methodology, 646
plant resistance, 646
Anabrus simplex, rangelands, 94
sagebrush, 94
Anastrepha suspensa, pheromones, 382
signaling, 382
Anisopteromalus calandrae, biological control, 877
parasitoid, 877
Anopheles albimanus, aquatic plants, 598
habitat classification, 598
Antheraea assama, lipid reserves, 1398
seasonal variation, 1398
Anthonomus eugenii, dispersion, 1013
sampling, 1013
Anthonomus grandis grandis, overwintering survival, 117
reproduction, 117
anthonomus grandis, biological control, 620
Catolaccus grandis, 620
ants, Nicaragua, 61
vegetational diversity, 61
Aphelinidae, Aphididae, 1433
parasitism, 1433
aphid, *Acremonium*, 1046
development, 10
host-plant resistance, 1046
survival, 10
aphid feeding behavior, virus-vector interactions, 578
zucchini yellow mosaic virus, 578
Aphididae, Aphelinidae, 1433
parasitism, 1433
Apis mellifera, chlorferron, 860
coumaphos, 860
development time, 366
gamma distribution, 436
insect migration models, 436
nerolic acid, 1130
pheromone, 1130
temperature, 366
Apis mellifera scutellata, defensive behavior, 1362
stinging, 1362
aquatic plants, *Anopheles albimanus*, 598
habitat classification, 598
arboreal spiders, family abundance, 74
population density, 74
armyworm, cropping systems, 41
natural enemies, 41
Artogeia rapae, *Plutella xylostella*, 837
Tanacetum vulgare, 837
assortative mating, mating behavior, 294
sterile-insect release, 294
attractant, *Carpophilus* spp., 1143
Cestrum nocturnum, 854
pheromone, 1143
Trichoplusia ni, 854

B
baculovirus distribution, *Lymantria dispar*, 307
optical enumeration, 307
Baculovirus heliothis, *Helicoverpa zea*, 210
simulated sunlight, 210
bait sprays, fruit fly eradication, 1022
invertebrates, 1022
baits, sweetpotato, 957
wireworms, 957
barley yellow dwarf virus, feeding behavior, 376
Sitobion avenae, 376
Beauveria bassiana, red imported fire ant, 1427
Solenopsis invicta, 1427
behavior, development, 1196, 1198
distribution, 1110
Empoasca fabae, 301
host finding, 301
parasitoid, 1196
pest, 866
Sitophilus zeamais, 1345
Solenopsis invicta, 866
starvation, 1345
stem borer, 1110
Tephritidae, 1154
Toxotrypana, 1154
Bemisia tabaci, biological control, 651
Eretmocerus sp., 651
preimaginal development, 359
sex ratio, 556
survival, 359
Betula, *Eriocrania*, 1386
leaf miners, 1386
biological control *Anisopteromalus calandrae*, 877
anthonomus grandis, 620
Bemisia tabaci, 651
Catolaccus grandis, 620
competition, 664, 1168
Cotesia flavipes, 1160
cotton, 1457
Diatraea saccharalis, 1160
entomopathogenic fungus, 901
Eretmocerus sp., 651
guild structure, 26
herbivory, 1289
host-plant resistance, 888
inoculative releases, 202
introduction strategy, 26
keystone predators, 664
landscape structure, 409
Lymantria dispar, 901
Lynx spiders, 1457
Musca domestica, 1419
Muscidifurax raptor, 1419
Ostrinia nubilalis, 409
Panonychus ulmi, 1168
parasitoid, 877
phenology, 164
Phytoseiidae, 478
plant morphology, 478
reproduction, 832
Spodoptera frugiperda, 888
tentiform leafminers, 164
Tetranychidae, 202
Toxorhynchites splendens, 832
weed management, 1289

biology, cabbage webworm development, 527
Clitostethus arcuatus, 659
Hellula rogatalis, 527
Siphominus phillyreae, 659
biotype E, corn, 1072
Schizaphis graminum, 1072
bird populations, grasshopper control, 1239
nontarget arthropods, 1239
birdsfoot trefoil, dispersion patterns, 1248
Miridae, 1248
Brachymeria intermedia, gypsy moth, 394
host switching, 760
parasitoid, 760
percentage parasitism, 394
Bruchus pisorum, egg development, 314
egg survival, 314

C
cabbage webworm development, biology, 527
Hellula rogatalis, 527
Cacopsylla pyricola, dispersal, 1319
sampling, 1319
Calliphoridae, carrion ecology, 640
interspecific interaction, 640
Carpophilus lugubris, aggregation pheromone, 156
host odor attractants, 156
Carpophilus spp., attractant, 1143
pheromone, 1143
carrion ecology, Calliphoridae, 640
interspecific interaction, 640
Catolaccus grandis, *anthonomus grandis*, 620
biological control, 620
Cestrum nocturnum, attractants, 854
Trichoplusia ni, 854
chalkbrood, *Osmia lignaria propinqua*, 1086
pathogenic fungus, 1086
chlorferron, *Apis mellifera*, 860
coumaphos, 860
Choristoneura occidentalis, nitrogen, 331
Choristoneura rosaceana, obliquebanded leafroller, 1007
seasonal male flight, 1007
Chrysomela scripta, feeding preferences, 508
oviposition preferences, 508
cinnamaldehyde, onion maggot, 453
ovipositional deterrent, 453
Clitostethus arcuatus, biology, 659
Siphominus phillyreae, 659
clutch size, egg parasitism, 610
Stator limbatus, 610
Coccinellidae, degree-days, 1139
developmental threshold, 1139
Coccygomimus disparis, host range, 401
Cochylis hospes, *Smicronyx fulvus*, 493
sunflowers, 493
Colorado potato beetle, *Perillus bioculatus*, 1212
Podisus maculiventris, 1212
community ecology, Acrididae, 461
patch dynamics, 461
community structure, lindane, 745
nontarget insecticide effect, 745
nontarget species, 731
rice-field drainage, 731
competition, biological control, 664, 1168
keystone predators, 664
Panonychus ulmi, 1168
conidia color, Entomopathogenic fungi, 913
sunlight inactivation, 913
conservation tillage, *Ostrinia nubilalis*, 388
predation, 388
consumption, simulation, 107
survival, 107
corn, biotype E, 1072
Helicoverpa zea, 1441
Schizaphis graminum, 1072
Steinernema carpocapsae, 1441
corn earworm, feeding behavior, 287
larval preference, 287
Corythucha, diapause, 1414
lace bugs, 1414
cost effective sampling, gypsy moth, 722
spatial distribution, 722
Cotesia flavipes, biological control, 1160
Diatraea saccharalis, 1160
Cotesia marginiventris, host plant, 214
Spodoptera frugiperda, 214
Cotesia melanoscela, hyperparasitism, 907
Lymantria dispar, 907
cotton, biological control, 1457
Lynx spiders, 1457
Oxyopes, 1178
Pseudatomoscelis, 1178
coumaphos, *Apis mellifera*, 860
chlorferron, 860
cropping systems, armyworm, 41
natural enemies, 41
Cryptolestes ferrugineus, spatial model, 1351
stored products, 1351
Cucurbitacin C, *Diabrotica*, 1466
sequestration, 1466
Culex tarsalis, *Lagenidium giganteum*, 183
microbial control, 183
Culicidae, ecological risk assessment, 714
insecticide drift, 714
cultural practices, preferred crops, 969
wireworms, 969
Curculio occidentis, *Cydia latiferreana*, 975
Quercus agrifolia, 975
Cydia latiferreana, *Curculio occidentis*, 975
Curculio occidentis, 975
Quercus agrifolia, 975
Cydia pomonella, degree-days, 441
generation time, 441
Cyrtepistomus castaneus, dispersion, 247
host density, 247

D
Dalbulus maidis, maize, 566
overwintering, 566
defensive behavior, *Apis mellifera scutellata*, 1362
stinging, 1362
defoliation, gypsy moth, 1308
herbivory, 501
Hypera postica, 501
phenology, 1308
degree-day, Coccinellidae, 1139
Cydia pomonella, 441
developmental threshold, 1139
generation time, 441
Hippodamia, 197
lady beetle, 197
Delia antiqua, host-plant acceptance, 560
oviposition, 560

Dendroctomus frontalis, elemental marking, 1377
Pinus taeda, 1377
density, *Frankliniella occidentalis*, 322
sex ratios, 322
density dependence, *Lymantria dispar*, 221
population dynamics, 221
development, aphid, 10
behavior, 1196, 1198
Locusta migratoria migratorioides, 939
Nosema spp., 939
parasitoid, 1196, 1198
stage-frequency data, 1229
stochastic model, 1229
survival, 10
development time, *Apis mellifera*, 366
temperature, 366
developmental rate, larval diet, 780
Spodoptera exigua, 780
developmental threshold, Coccinellidae, 1139
degree-days, 1139
Diabrotica undecimpunctata howardi, nitrogen fixation, 1002
soybean, 1002
Diabrotica, Cucurbitacin C, 1466
sequestration, 1466
diapause, *Corythucha*, 1414
Helicoverpa zea, 1404
horn fly, 1134
lace bugs, 1414
phenology, 1052
temperature, 1134, 1404
voltinism, 1052
Diatraea saccharalis, biological control, 1160
Cotesia flavipes, 1160
diet, heavy metals, 160
metabolism, 160
dispersal, *Cacopsylla pyricola*, 1319
genetic variation, 808
mantids, 350
Plutella xylostella, 808
sampling, 1319
Tenodera aridifolia sinensis, 350
dispersion, *Anthonomus eugenii*, 1013
Cyrtepistomus castaneus, 247
host density, 247
sampling, 1013
dispersion patterns, birdsfoot trefoil, 1248
Miridae, 1248
distribution, behavior, 1110
stem borer, 1110
Diuraphis noxia, host-plant resistance, 1296
movement behavior, 1296
Russian wheat aphid, 1029
spatial patterns, 1029
diversity, agroecosystem dynamics, 485
Leiodidae, 1262
Malus domestica, 485
seasonality, 1262
DNA probe, *Paraphlepsius irroratus*, 81
X-disease, 81
Dolichovespula maculata, energy reserves, 148
foraging behavior, 148
Doppler radar, *Melanoplus sanguinipes*, 921
updrafts, 921
drought stress, *Ostrinia nubilalis*, 1059, 1060
stem tunneling, 1059, 1060
dung-inhabiting insects, i
vermectin, 871
nontarget species, 871

E

ecological risk assessment, Culicidae, 714
insecticide drift, 714
egg development, *Bruchus pisorum*, 314
egg survival, 314
egg dispersion, larval dispersion, 996
Prodiplosis longifila, 996
egg growth, lace bug predator, 793
Stethoconus japonicus, 793
egg hatch, fecundity, 276
Lymantria dispar, 276
egg parasitism, clutch size, 610
Stator limbatus, 610
egg survival, *Bruchus pisorum*, 314
egg development, 314
elemental marking, *Dendroctomus frontalis*, 1377
Pinus taeda, 1377
ELISA, *Lygus hesperus*, 896
marking insects, 20
monoclonal antibody (MAb), 20
Pholetesor ornigis, 50
Phyllonorycter blancardella, 50
predation, 896
Empoasca fabae, behavior, 301
host finding, 301
interspecific competition, 787
Leptinotarsa decemlineata, 787
endophytes, plant resistance, 68
Schizaphis graminum, 68
energy reserves, *Dolichovespula maculata*, 148
foraging behavior, 148
entomogenous nematodes, obligatory parasitism, 417
Spodoptera frugiperda, 417
entomopathogenic fungus, biological control, 901
conidia color, 913
Lymantria dispar, 901
sunlight inactivation, 913
Entomophaga maimaiga, epizootiology, 129
Lymantria dispar, 129
Entomophaga, Acrididae, 1202
Entomophthorales, 1202
Entomophthorales, Acrididae, 1202
Entomophaga, 1202
Epilachna, *Podisus maculiventris*, 1
predation model, 1
Epiphyas postivittana, mating disruption, 949
traps, 949
epizootiology, *Entomophaga maimaiga*, 129
Lymantria dispar, 129, 706
sampling, 706
Eretmocerus sp., *Bemisia tabaci*, 651
biological control, 651
Eriocrania, *Betula*, 1386
leaf miners, 1386
Euseius tularensis, pollen, 1371
predacious mite, 1371

F

F1 sterility, integrated pest management, 57
Spodoptera frugiperda, 57
family abundance, arboreal spiders, 74
population density, 74
fecundity, egg hatch, 276
Lymantria dispar, 276
feeding, longevity, 604
oviposition, 549
Phyllotreta cruciferae, 604
Sitophilus oryzae, 549
feeding behavior, barley yellow dwarf virus, 376
corn earworm, 287
larval preference, 287
Sitobion avenae, 376

feeding preferences, *Chrysomela scripta*, 508
legume seedlings, 103
oviposition preferences, 508
Sitona hispidulus, 103
flight, *Harrisina brillians*, 112
pheromone, 112
flight activity, *Lymantria dispar*, 822
Malacosoma americanum, 628
Malacosoma disstria, 628
pheromone titers, 822
flight behavior, *Macrocentrus grandii*, 1448
synomones, 1448
foraging behavior, *Dolichovespula maculata*, 148
energy reserves, 148
forest soils, *Taeniothrips inconsequens*, 1253
vertical distribution, 1253
forest structure, Hepialidae, 1273
Lepidoptera, 1273
Frankliniella occidentalis, density, 322
sex ratios, 322
Fraser fir, *Adelges piceae*, 1103
Homoptera, 1103
fruit fly, host-habitat finding, 1189
tephritid, 1189
fruit fly eradication, bait sprays, 1022
invertebrates, 1022

G

gamma distribution, *Apis mellifera*, 436
insect migration models, 436
generation time, *Cydia pomonella*, 441
degree-days, 441
genetic variation, dispersal, 808
Plutella xylostella, 808
geostatistics, *Limonius californicus*, 983
sampling, 983
gossypol, *Heliothis virescens*, 518
metabolism, 518
grasshopper control, bird populations, 1239
nontarget arthropods, 1239
green onion, leaf miner, 1097
Liriomyza sativae, 1097
guild, parasitoid, 230
Tortricoidea, 230
guild structure, biological control, 26
introduction strategy, 26
gypsy moth, *Brachymeria intermedia*, 394
cost effective sampling, 722
defoliation, 1308
head capsule, 89
Lymantria dispar, 89
percentage parasitism, 394
phenology, 1308
spatial distribution, 722
host plant, 173
parasitoids, 173

H

habitat, *Megaphorus willistoni*, 1333
predation, 1333
habitat classification, *Anopheles albimanus*, 598
aquatic plants, 598
Harrisina brillians, flight, 112
pheromone, 112
head capsule, Gypsy moth, 89
Lymantria dispar, 89
heavy metals, diet, 160
metabolism, 160
Helicoverpa, population dynamics, 253
soybean, 253
Helicoverpa zea, *Baculovirus heliothis*, 210
corn, 1441
diapause, 1404
leaf age, 264
migration, 1393
nuclear polyhedrosis virus, 1220
Noctuidae, 1220
planting date, 264
polyhedrosis virus, 1220
pupae population estimates, 1393
simulated sunlight, 210
Steinernema carpocapsae, 1441
temperature, 1404
Heliothis virescens, gossypol, 518
host-plant resistance, 586
metabolism, 518
natural enemies, 586
Hellula rogatalis, biology, 527
cabbage webworm development, 527
Hepialidae, forest structure, 1273
Korscheltellus gracilis, 447
Lepidoptera, 1273
spruce-fir decline, 447
herbivory, biological control, 1289
defoliation, 501
Hypera postica, 501
weed management, 1289
Hippodamia, degree-day, 197
lady beetle, 197
Homoptera, *Adelges piceae*, 1103
Fraser fir, 1103
horn fly, diapause, 1134
temperature, 1134
host density, *Cyrtepistomus castaneus*, 247
dispersion, 247
host finding, behavior, 301
Empoasca fabae, 301
host odor attractants, aggregation pheromone, 156
attractants, *Carpophilus l lugubris*, 156
host plant, abundance, 751
Cotesia marginiventris, 214
gypsy moths, 173
Nezara viridula, 751
parasitoids, 173
Spodoptera frugiperda, 214
host quality, *Rhyacionia frustrana*, 534
site-stand influences, 534
host range, *Coccygomimus disparis*, 401
parasitism, 401
host switching, *Brachymeria intermedia*, 760
parasitoid, 760
host-habitat finding, fruit fly, 1189
tephritid, 1189
host-plant acceptance, *Delia antiqua*, 560
oviposition, 560
host-plant resistance, *Acremonium*, 1046
aphids, 1046
biological control, 888
Diuraphis noxia, 1296
Heliothis virescens, 586
movement behavior, 1296
natural enemies, 586
phenolics, 827
Spodoptera frugiperda, 888
variegation, 827
Hylobius pales, *Leptographium procerum*, 1077
Pissodes nemorensis, 1077
Hypera postica, defoliation, 501
herbivory, 501
hyperparasitism, *Cotesia melanoscela*, 907
Lymantria dispar, 907

hypersensitivity, *Mayetiola destructor*, 845
plant resistance, 845

I
inoculative releases, biological control, 202
Tetranychidae, 202
insect migration models, *Apis mellifera*, 436
gamma distribution, 436
insect resistance, leaf-feeding damage, 700
Oulema melanopus, 700
insecticide drift, Culicidae, 714
ecological risk assessment, 714
integrated pest management, F1 sterility, 57
Spodoptera frugiperda, 57
interspecific competition, *Empoasca fabae*, 787
Leptinotarsa decemlineata, 787
interspecific interaction, Calliphoridae, 640
carrion ecology, 640
intraspecific competition, Agromyzidae, 136
vegetable leaf miner, 136
introduction strategy, biological control, 26
guild structure, 26
invertebrates, bait sprays, 1022
fruit fly eradication, 1022
ivermectin, dung-inhabiting insects, 871 nontarget species, 871

K
keystone predators, biological control, 664
competition, 664
Korscheltellus gracilis, Hepialidae, 447
spruce-fir decline, 447

L
lace bug predator, egg growth, 793
Stethoconus japonicus, 793
lace bugs, *Corythucha*, 1414
diapause, 1414
lady beetle, degree-day, 197
Hippodamia, 197
Lagenidium giganteum, *Culex tarsalis*, 183
microbial control, 183
landscape structure, biological control, 409
Ostrinia nubilalis, 409
larval diet, developmental rate, 780
Spodoptera exigua, 780
larval dispersion, egg dispersion, 996
Prodiplosis longifila, 996
larval preference, corn earworm, 287
feeding behavior, 287
leaf age, *Helicoverpa zea*, 264
planting date, 264
leaf miner, *Betula*, 1386
Eriocrania, 1386
green onion, 1097
Liriomyza sativae, 1097
leaf-feeding damage, insect resistance, 700
Oulema melanopus, 700
legume seedlings, feeding preferences, 103
Sitona hispidulus, 103
Leiodidae, diversity, 1262
seasonality, 1262
Lepidoptera, forest structure, 1273
Hepialidae, 1273
Leptinotarsa decemlineata, *Empoasca fabae*, 787
interspecific competition, 787
nitrogen, 817
tomato, 817
Leptographium procerum, *Hylobius pales*, 1077
Pissodes nemorensis, 1077
Limonius californicus, geostatistics, 983
sampling, 983
lindane, community structure, 745
nontarget insecticide effect, 745
lipid reserves, *Antheraea assama*, 1398
seasonal variation, 1398
Liriomyza sativae, green onion, 1097
leaf miner, 1097
Liriomyza trifolii, mathematical descriptions, 1341
oviposition, 1341
plant defense, 1357
trichomes, 1357
Locusta migratoria migratorioides, development, 939
Nosema spp., 939
longevity, feeding, 604
Phyllotreta cruciferae, 604
Lygus hesperus, ELISA, 896
predation, 896
Lymantria dispar, baculovirus distribution, 307
biological control, 901
Cotesia melanoscela, 907
density dependence, 221
egg hatch, 276
entomopathogenic fungus, 901
Entomophaga maimaiga, 129
epizootiology, 129, 706
fecundity, 276
flight activity, 822
Gypsy moth, 89
head capsule, 89
hyperparasitism, 907
optical enumeration, 307
Parasetigena silvestris, 1035
parasitism, 1035
phenology, 354
pheromone titers, 822
population dynamics, 221
sampling, 706
spatial distribution, 354
Lynx spiders, biological control, 1457
cotton, 1457

M
Macrocentrus grandii, flight behavior, 1448
synomones, 1448
maize, *Dalbulus maidis*, 566
overwintering, 566
Malacosoma americanum, flight activity, 628
Malacosoma disstria, 628
Malacosoma disstria, flight activity, 628
Malacosoma americanum, 628
Malus domestica, agroecosystem dynamics, 485
diversity, 485
mantids, dispersal, 350
Tenodera aridifolia sinensis, 350
marking insects, ELISA, 20
monoclonal antibody (MAb), 20
mathematical descriptions, *Liriomyza trifolii*, 1341
oviposition, 1341
mating behavior, assortative mating, 294
Noctuidonema guyanense, 371
Spodoptera frugiperda, 371
sterile-insect release, 294
mating disruption, *Epiphyas postvittana*, 949
traps, 949

mating isolation, *Rhyacionia neomexicana*, 1410
sex pheromones, 1410
Mayetiola destructor, hypersensitivity, 845
plant resistance, 845
Megaphorus willistoni, habitat, 1333
predation, 1333
Melanocallis caryaefoliae, *Monellia caryella*, 632
Monelliopsis pecanis, 632
Melanoplus sanguinipes, Doppler radar, 921
updrafts, 921
metabolism, diet, 160
gossypol, 518
heavy metals, 160
Heliothis virescens, 518
methodology, amylase inhibitors, 646
plant resistance, 646
microbial control, *Culex tarsalis*, 183
Lagenidium giganteum, 183
microsporidium, *Nosema pyrausta*, 178
Ostrinia nubilalis, 178
migration, *Agrotis ipsilon*, 1092
Helicoverpa zea, 1393
Pseudaletia unipuncta, 1092
pupae population estimates, 1393
migration oogenesis–flight syndrome, *Agrotis ipsilon*, 677
Mima mounds, soil translocation, 281
Solenopsis, 281
minerals, *Choristoneura occidentalis*, 331
nitrogen, 331
Miridae, birdsfoot trefoil, 1248
dispersion patterns, 1248
Monellia caryella, *Melanocallis caryaefoliae*, 632
Monelliopsis pecanis, 632
Monelliopsis pecanis, *Melanocallis caryaefoliae*, 632
Monellia caryella, 632
monoclonal antibody (MAb), ELISA, 20
(MAb), marking insects, 20
mosquito control, *Aedes atropalpus*, 1285
xanthan gum, 1285
mosquitoes, populations, 1278
wild rice, 1278
movement behavior, *Diuraphis noxia*, 1296
host–plant resistance, 1296
Musca domestica, biological control, 1419
Muscidifurax raptor, 1419
Muscidifurax raptor, biological control, 1419
Musca domestica, 1419

N

nabid, alfalfa, 191
predation, 191
natural enemies, armyworm, 41
cropping systems, 41
Heliothis virescens, 586
host–plant resistance, 586
spatial association, 471
Tetranychus spp., 471
nectarophagy, reproduction, 141
survivorship, 141
nerolic acid, *Apis mellifera*, 1130
pheromone, 1130
Nezara viridula, abundance, 751
host plants, 751
Nicaragua, ants, 61
vegetational diversity, 61
nitrogen, *Choristoneura occidentalis*, 331
Leptinotarsa decemlineata, 817
minerals, 331
tomato, 817
nitrogen fixation, *Diabrotica undecimpunctata howardi*, 1002
soybean, 1002
Noctuidae, *Helicoverpa zea*, 1220
nuclear polyhedrosis virus, 1220
polyhedrosis virus, 1220
Noctuidonema guyanense, mating behavior, 371
Spodoptera frugiperda, 371
nontarget arthropods, bird populations, 1239
grasshopper control, 1239
nontarget insecticide effect, community structure, 745
lindane, 745
nontarget species, community structure, 731
dung-inhabiting insects, 871
ivermectin, 871
rice–field drainage, 731
Nosema pyrausta, microsporidium, 178
Ostrinia nubilalis, 178
Nosema spp., development, 939
development, 939
Locusta migratoria migratorioides, 939
nuclear polyhedrosis virus, *Helicoverpa zea*, 1220
Noctuidae, 1220

O

obligatory parasitism, entomogenous nematodes, 417
Spodoptera frugiperda, 417
obliquebanded leafroller, *Choristoneura rosaceana*, 1007
seasonal male flight, 1007
onion maggot, cinnamaldehyde, 453
ovipositional deterrent, 453
optical enumeration, baculovirus distribution, 307
Lymantria dispar, 307
Osmia lignaria propinqua, chalkbrood, 1086
pathogenic fungus, 1086
Ostrinia nubilalis, biological control, 409
conservation tillage, 388
drought stress, 1059, 1060
landscape structure, 409
microsporidium, 178
Nosema pyrausta, 178
pheromone trapping, 242
predation, 388
stem tunneling, 1059, 1060
trap placement, 242
Oulema melanopus, insect resistance, 700
leaf–feeding damage, 700
overwintering, *Dalbulus maidis*, 566
maize, 566
overwintering survival, *Anthonomus grandis grandis*, 117
reproduction, 117
oviposition, *Aedes taeniorhynchus*, 737
Delia antiqua, 560
feeding, 549
host–plant acceptance, 560
Liriomyza trifolii, 1341
mathematical descriptions, 1341
sampling, 737
Sitophilus oryzae, 549
oviposition preferences, *Chrysomela scripta*, 508
feeding preferences, 508
oviposition suppression, population size, 1121
Tetradenia riparia, 1121
ovipositional deterrent, cinnamaldehyde, 453
onion maggot, 453

Oxyopes, cotton, 1178
Pseudatomoscelis, 1178

P
Panonychus ulmi, biological control, 1168
competition, 1168
Paraphlepsius irroratus, DNA probe, 81
X-disease, 81
Parasetigena silvestris, *Lymantria dispar*, 1035
parasitism, 1035
parasitism, Aphelinidae, 1433
Aphididae, 1433
Coccygomimus disparis, 401
host range, 401
Lymantria dispar, 1035
Parasetigena silvestris, 1035
parasitoid, *Anisopteromalus calandrae*, 877
behavior, 1196, 1198
biological control, 877
Brachymeria intermedia, 760
development, 1196, 1198
guild, 230
gypsy moths, 173
host plant, 173
host switching, 760
Tortricoidea, 230
patch dynamics, Acrididae, 461
community ecology, 461
pathogenic fungus, chalkbrood, 1086
Osmia lignaria propinqua, 1086
percentage parasitism, *Brachymeria intermedia*, 394
gypsy moth, 394
Perillus bioculatus, Colorado potato beetle, 1212
Podisus maculiventris, 1212
pest, behavior, 866
Solenopsis invicta, 866
phenolics, host-plant resistance, 827
variegation, 827
phenology, biological control, 164
defoliation, 1308
diapause, 1052
gypsy moth, 1308
Lymantria dispar, 354
rate summation, 689
spatial distribution, 354
tentiform leafminers, 164
variable temperatures, 689
voltinism, 1052
pheromone, *Anastrepha suspensa*, 382
Apis mellifera, 1130
attractant, 1143
Carpophilus spp., 1143
flight, 112
Harrisina brillians, 112
nerolic acid, 1130
signaling, 382
pheromone titers, flight activity, 822
Lymantria dispar, 822
pheromone trapping, *Ostrinia nubilalis*, 242
trap placement, 242
Pholetesor ornigis, ELISA, 50
Phyllonorycter blancardella, 50
Phyllonorycter blancardella, ELISA, 50
Pholetesor ornigis, 50
Phyllotreta cruciferae, feeding, 604
longevity, 604
Phytoseiidae, biological control, 478
plant morphology, 478
Pinus taeda, *Dendroctomus frontalis*, 1377
elemental marking, 1377
Pissodes nemorensis, *Hylobius pales*, 1077
Leptographium procerum, 1077
plant defense, *Liriomyza trifolii*, 1357
trichomes, 1357
plant morphology, biological control, 478
Phytoseiidae, 478
plant preference, 269
Trialeurodes vaporariorum, 269
plant part associations, soybean, 345
Spissistilus festinus, 345
plant preference, plant morphology, 269
Trialeurodes vaporariorum, 269
plant resistance, amylase inhibitors, 646
endophytes, 68
hypersensitivity, 845
Mayetiola destructor, 845
methodology, 646
Schizaphis graminum, 68
planting date, *Helicoverpa zea*, 264
leaf age, 264
Plutella xylostella, *Artogeia rapae*, 837
dispersal, 808
genetic variation, 808
Tanacetum vulgare, 837
Podisus maculiventris, Colorado potato beetle, 1212
Epilachna, 1
Perillus bioculatus, 1212
predation model, 1
pollen, *Euseius tularensis*, 1371
predacious mite, 1371
polyhedrosis virus, *Helicoverpa zea*, 1220
Noctuidae, 1220
population density, arboreal spiders, 74
family abundance, 74
Solenopsis invicta, 767
sugarcane, 767
population dynamics, density dependence, 221
Helicoverpa, 253
Lymantria dispar, 221
soybean, 253
population size, oviposition suppression, 1121
Tetradenia riparia, 1121
populations, mosquitoes, 1278
wild rice, 1278
predacious mite, *Euseius tularensis*, 1371
pollen, 1371
predation, alfalfa, 191
conservation tillage, 388
ELISA, 896
habitat, 1333
Lygus hesperus, 896
Megaphorus willistoni, 1333
nabid, 191
Ostrinia nubilalis, 388
predation model, *Epilachna*, 1
Podisus maculiventris, 1
preferred crops, cultural practices, 969
wireworms, 969
preimaginal development, *Bemisia tabaci*, 359
survival, 359
prey location, searching behavior, 799
semiochemicals, 799
Prodiplosis longifila, egg dispersion, 996
larval dispersion, 996
Pseudaletia unipuncta, *Agrotis ipsilon*, 1092
migration, 1092
Pseudatomoscelis, cotton, 1178
Oxyopes, 1178
pupae population estimates, *Helicoverpa zea*, 1393
migration, 1393

Q
Quercus agrifolia, *Curculio occidentis*, 975
Cydia latiferreana, 975

R
rangelands, *Anabrus simplex*, 94
sagebrush, 94
rate summation, phenology, 689
variable temperatures, 689
red imported fire ant, *Beauveria bassiana*, 1427
Solenopsis invicta, 1427
relative abundance, sand flies, 1114
soil characteristics, 1114
reproduction, *Anthonomus grandis grandis*, 117
biological control, 832
ectarophagy, 141
overwintering survival, 117
survivorship, 141
Toxorhynchites splendens, 832
Rhopalosiphum maidis, sorghum, 542
soybean, 542
Rhyacionia frustrana, host quality, 534
site–stand influences, 534
Rhyacionia neomexicana, mating isolation, 1410
sex pheromones, 1410
rice–field drainage, community structure, 731
nontarget species, 731
Russian wheat aphid, *Diuraphis noxia*, 1029
spatial patterns, 1029

S
sagebrush, *Anabrus simplex*, 94
rangelands, 94
sampling, *Aedes taeniorhynchus*, 737
Anthonomus eugenii, 1013
Cacopsylla pyricola, 1319
dispersal, 1319
dispersion, 1013
epizootiology, 706
geostatistics, 983
Limonius californicus, 983
Lymantria dispar, 706
oviposition, 737
sand flies, relative abundance, 1114
soil characteristics, 1114
Schizaphis graminum, biotype E, 1072
corn, 1072
endophytes, 68
plant resistance, 68
searching behavior, prey location, 799
semiochemicals, 799
seasonal male flight, *Choristoneura rosaceana*, 1007
obliquebanded leafroller, 1007
seasonal variation, *Antheraea assama*, 1398
lipid reserves, 1398
seasonality, diversity, 1262
Leiodidae, 1262
semiochemicals, prey location, 799
searching behavior, 799
sequestration, Cucurbitacin C, 1466
Diabrotica, 1466
sex pheromones, mating isolation, 1410
Rhyacionia neomexicana, 1410
sex ratio, *Bemisia tabaci*, 556
density, 322
Frankliniella occidentalis, 322
signaling, *Anastrepha suspensa*, 382
pheromones, 382
simulated sunlight, *Baculovirus heliothis*, 210
Helicoverpa zea, 210
simulation, consumption, 107
survival, 107
Siphominus phillyreae, biology, 659
Clitostethus arcuatus, 659
site–stand influences, host quality, 534
Rhyacionia frustrana, 534
Sitobion avenae, barley yellow dwarf virus, 376
feeding behavior, 376
Sitona hispidulus, feeding preferences, 103
legume seedlings, 103
Sitophilus oryzae, feeding, 549
oviposition, 549
Sitophilus zeamais, behavior, 1345
starvation, 1345
Smicronyx fulvus, *Cochylis hospes*, 493
sunflowers, 493
soil characteristics, relative abundance, 1114
sand flies, 1114
soil translocation, Mima mounds, 281
Solenopsis, 281
Solenopsis invicta, *Beauveria bassiana*, 1427
behavior, 866
pest, 866
population density, 767
red imported fire ant, 1427
sugarcane, 767
survival, 964
temperature, 964
Solenopsis, Mima mounds, 281
soil translocation, 281
sorghum, *Rhopalosiphum maidis*, 542
soybean, 542
soybean, *Diabrotica undecimpunctata howardi*, 1002
Helicoverpa, 253
nitrogen fixation, 1002
plant part associations, 345
population dynamics, 253
Rhopalosiphum maidis, 542
sorghum, 542
Spissistilus festinus, 345
spatial association, natural enemies, 471
Tetranychus spp., 471
spatial distribution, cost effective sampling, 722
gypsy moth, 722
Lymantria dispar, 354
phenology, 354
spatial model, *Cryptolestes ferrugineus*, 1351
stored products, 1351
spatial patterns, *Diuraphis noxia*, 1029
Russian wheat aphid, 1029
Spissistilus festinus, plant part associations, 345
soybean, 345
Spodoptera exigua, developmental rate, 780
larval diet, 780
Spodoptera frugiperda, biological control, 888
Cotesia marginiventris, 214
entomogenous nematodes, 417
F1 sterility, 57
host plant, 214
host–plant resistance, 888
integrated pest management, 57
mating behavior, 371
Noctuidonema guyanense, 371
obligatory parasitism, 417
spruce–fir decline, Hepialidae, 447
Korscheltellus gracilis, 447

stage–frequency data, development, 1229
stochastic model, 1229
starvation, behavior, 1345
Sitophilus zeamais, 1345
Stator limbatus, clutch size, 610
egg parasitism, 610
Steinernema carpocapsae, corn, 1441
Helicoverpa zea, 1441
stem borer, behavior, 1110
distribution, 1110
stem tunneling, drought stress, 1059, 1060
Ostrinia nubilalis, 1059, 1060
sterile–insect release, assortative mating, 294
mating behavior, 294
Stethoconus japonicus, egg growth, 793
lace bug predator, 793
stinging, *Apis mellifera scutellata*, 1362
defensive behavior, 1362
stochastic model, development, 1229
stage–frequency data, 1229
stored products, *Cryptolestes ferrugineus*, 1351
spatial model, 1351
sugarcane, population density, 767
Solenopsis invicta, 767
sunflowers, *Cochylis hospes*, 493
Smicronyx fulvus, 493
sunlight inactivation, conidia color, 913
Entomopathogenic fungi, 913
survival, aphid, 10
Bemisia tabaci, 359
consumption, 107
development, 10
preimaginal development, 359
simulation, 107
Solenopsis invicta, 964
temperature, 964
survivorship, nectarophagy, 141
reproduction, 141
sweetpotato, baits, 957
wireworms, 957
synomones, flight behavior, 1448
Macrocentrus grandii, 1448

T

Taeniothrips inconsequens, forest soils, 1253
vertical distribution, 1253
Taeniothrips, thrips, 771
Thysanoptera, 771
Tanacetum vulgare, *Artogeia rapae*, 837
Plutella xylostella, 837
temperature, *Apis mellifera*, 366
development time, 366
diapause, 1134, 1404
Helicoverpa zea, 1404
horn fly, 1134
Solenopsis invicta, 964
survival, 964
Tenodera aridifolia sinensis, dispersal, 350
mantids, 350
tentiform leafminers, biological control, 164
phenology, 164
tephritid, fruit fly, 1189
host–habitat finding, 1189
Tephritidae, behavior, 1154
Toxotrypana, 1154
Tetradenia riparia, oviposition suppression, 1121
population size, 1121
Tetranychidae, biological control, 202
inoculative releases, 202
Tetranychus spp., natural enemies, 471
spatial association, 471
thrips, *Taeniothrips*, 771
Thysanoptera, 771
virus, 121
weed, 121
Thysanoptera, *Taeniothrips*, 771
thrips, 771
tomato, *Leptinotarsa decemlineata*, 817
nitrogen, 817
Tortricoidea, guild, 230
parasitoid, 230
Toxorhynchites splendens, biological control, 832
reproduction, 832
Toxotrypana, behavior, 1154
Tephritidae, 1154
trap placement, *Ostrinia nubilalis*, 242
pheromone trapping, 242
traps, *Epiphyas postvittana*, 949
mating disruption, 949
Trialeurodes vaporariorum, plant morphology, 269
plant preference, 269
trichomes, *Liriomyza trifolii*, 1357
plant defense, 1357
Trichoplusia ni, attractants, 854
Cestrum nocturnum, 854

U

updrafts, Doppler radar, 921
Melanoplus sanguinipes, 921

V

variable temperatures, phenology, 689
rate summation, 689
variegation, host-plant resistance, 827
phenolics, 827
vegetable leaf miner, Agromyzidae, 136
intraspecific competition, 136
vegetational diversity, ants, 61
Nicaragua, 61
vertical distribution, forest soils, 1253
Taeniothrips inconsequens, 1253
virus, thrips, 121
weed, 121
virus–vector interactions, aphid feeding behavior, 578
zucchini yellow mosaic virus, 578
voltinism, diapause, 1052
phenology, 1052

W

weed, thrips, 121
virus, 121
weed management, biological control, 1289
herbivory, 1289
wild rice, mosquitoes, 1278
populations, 1278
wireworms, baits, 957
cultural practices, 969
preferred crops, 969
sweetpotato, 957

X

X-disease, DNA probe, 81
Paraphlepsius irroratus, 81
xanthan gum, *Aedes atropalpus*, 1285
mosquito control, 1285

Z

zucchini yellow mosaic virus, aphid feeding behavior, 578
virus–vector interactions, 578